

<b>POONGSAN</b>		<b>SDS</b> <b>( SAFETY DATA SHEET )</b>	
<b>Product name</b>	<b>P73, P74</b>	<b>Date of first creation</b>	<b>2022. 03. 25</b>
		<b>Revision No.</b>	<b>4</b>
<b>Control No.</b>	<b>PS-SDS-32</b>	<b>Date of last revision</b>	<b>2026. 05. 29</b>
<b>MSDS Submission No.</b>	<b>AA07087-0000000030</b>	<b>Date of validation</b>	<b>2026. 05. 29</b>




<b>SECTION 1</b>	<b>Identification of the substance or mixture and of the supplier</b>
------------------	---

- A. product name P73, P74  
 \* Product Specification C70350, C70330 (Contain : Tin plating material)
- B. Recommended use of the chemical and restrictions on use  
 \* Recommended use Lead Frame, Terminal, Electricity, Other Parts  
 \* Restrictions on use Not available
- C. Manufacturer / Importer / Distributor Information  
 \* Company name Poongsan Ulsan Plant  
 \* Address 94 Sanam-ro Onsan-eup, Ulju-gun, Ulsan  
 \* Emergency phone number +82) 52 - 231 - 9114 (representative telephone), FAX: +82) 52 - 231 - 9400  
 \* Department in charge Quality Assurance Team

※ **This products are solid metallic products which do generally constitute a non hazardous materials in solid. However some hazardous elements contained in these products can be emitted under ceratin processing conditions such as but not limited to: burning, melting, cutting, grinding, machining and welding. The following information is for the hazardous elements which may be released during processing.**

<b>SECTION 2</b>	<b>Hazards identification</b>
------------------	-------------------------------

- A. GHS classification of the substance/mixture  
 Acute toxicity(Inhalation) : Category 4  
 Carcinogenicity : Category 1A  
 Mutagenicity : Category 2  
 Reproductive toxicity : Category 1B  
 Acute aquatic toxicity : Category 1  
 Chronic aquatic toxicity : Category 1

- B. GHS label elements, including precautionary statements  
 \* Pictogram and symbol
- 



- \* Signal word **Danger**
- \* Hazard statements  
 H332 Harmful if inhaled  
 H341 Suspected of causing genetic defects  
 H350 May cause cancer  
 H360 May damage fertility or the unborn child  
 H400 Very toxic to aquatic life  
 H410 Very toxic to aquatic life with long lasting effects
- \* Precautionary statements  
 - Precaution  
 P201 Obtain special instructions before use.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P261 Avoid breathing dust/fume/gas/mist/vapours/spray  
 P271 Use only outdoors or in a well-ventilated area  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- Treatment  
 P312 Call a POISON CENTER or doctor/physician if you feel unwell  
 P391 Collect spillage.  
 P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.



- A. Personal precautions, protective equipment and emergency procedures Clean up spills immediately, observing precautions in Protective Equipment section.  
Keep unnecessary and unprotected personnel from entering.  
Do not breathe dust/fume/gas/mist/vapours/spray.  
Wear protective gloves/protective clothing/eye protection/face protection.
- B. Environmental precautions and protective procedures Prevent entry to waterways
- C. The methods of purification and removal Absorb spills with inert material (e.g., dry sand or earth), then place in a chemical waste container.  
Absorb the liquid and scrub the area with detergent and water.  
Avoid release to the environment.  
Collect spillage.

**SECTION 7 Handling and storage**

- A. Precautions for safe handling Obtain special instructions before use.  
Follow all MSDS/label precautions even after container is emptied because they may retain product residues.  
Avoid release to the environment.  
Please note that materials and conditions to avoid.  
Please work with reference to engineering controls and personal protective equipment.  
Do not handle until all safety precautions have been read and understood.  
Do not eat, drink or smoke when using this product.  
Wash the handling area thoroughly after handling.
- B. Conditions for safe storage Store locked up.  
Store in a closed container.  
Store in cool and dry place.  
Empty drums should be completely drained, properly bunged, and promptly returned to a drum control, or properly placed.  
Keep away from food and drinking water.

**SECTION 8 Exposure controls/personal protection**

A. Occupational Exposure limits

\* Domestic regulations

Copper	TWA 1mg/m <sup>3</sup> , STEL 2mg/m <sup>3</sup> (dust and mist) TWA 0.1mg/m <sup>3</sup> (fume)
Nickel	TWA 0.1mg/m <sup>3</sup> (soluble compounds) TWA 0.2mg/m <sup>3</sup> (Insoluble inorganic compounds) TWA 1mg/m <sup>3</sup> (metal)
Cobalt	TWA 0.02mg/m <sup>3</sup>

\* ACGIH regulation

Copper	TWA 0.2mg/m <sup>3</sup> (fume) TWA 1mg/m <sup>3</sup> (metal dust)
Nickel	TWA insoluble inorganic compounds (NOS): 0.2 mg/m <sup>3</sup> (inhalable particulate matter) TWA elemental: 1.5 mg/m <sup>3</sup> (inhalable particulate matter)
Cobalt	TWA 0.02mg/m <sup>3</sup>

\* Biological exposure index

Cobalt	15 µg/L, End of shift at end of workweek
--------	--

- B. Appropriate engineering controls Provide local exhaust ventilation system or other engineering controls to keep the airborne concentrations of vapors below their respective threshold limit value.
- C. Personal protective equipment  
\* Respiratory protection Wear NIOSH or European Standard EN 149 approved full or half face piece (with goggles) respiratory protective equipment when necessary.  
In case exposed to particulate material, the respiratory protective equipments as follow are recommended. ; facepiece filtering respirator or air-purifying respirator, high-efficiency particulate air(HEPA) filter media or respirator equipped with powered fan, filter media of use(dust, fume)  
In lack of oxygen(< 19.6%), wear the supplied-air respirator or self-contained breathing apparatus.

* Eye protection	Wear safety goggles as follow if eye irritation or other disorder occur. - In case of gaseous state organic material: enclosed safety goggles - In case of vapour state organic material: safety goggles or breathable safety goggles - In case of particulate material: breathable safety goggles An eye wash unit and safety shower station should be available nearby work place.
* Hand protection	Wear appropriate protective gloves by considering physical and chemical properties of chemicals.
* Body protection	Wear appropriate protective clothing by considering physical and chemical properties of chemicals.

<b>SECTION 9</b>		<b>Physical and chemical properties</b>
A. Appearance		
* Description	Solid	
* Color	Red	
B. Odor		
	Odorless	
C. Odor threshold		
	Not available(No Data)	
D. pH		
	Not available(No Data)	
E. Melting point/freezing point		
	1097 °C	
F. Initial boiling point and boiling range		
	Not available(No Data)	
G. Flash point		
	Not available(No Data)	
H. Evaporation rate		
	Not available(No Data)	
I. Flammability (solid, gas)		
	Not available(No Data)	
J. Upper/lower flammability or explosive limits		
	Not available(No Data)	
K. Vapor pressure		
	Not available(No Data)	
L. Solubility (ies)		
	Insoluble	
M. Vapor density		
	Not available(No Data)	
N. Specific gravity		
	8.81 (water=1)	
O. Partition coefficient n-octanol/water		
	Not available(No Data)	
P. Auto ignition temperature		
	Not available(No Data)	
Q. Decomposition temperature		
	Not available(No Data)	
R. Viscosity		
	Not available(No Data)	
S. Molecular weight		
	Not available(No Data)	

<b>SECTION 10</b>		<b>Stability and reactivity</b>
A. Chemical stability and Possibility of hazardous reactions		
	May decompose at high temperatures into forming toxic gases. Stable at room temperature, normal pressure and normal use. Inhalation of material may be harmful. Containers may explode when heated.	
B. Conditions to avoid		
	Ignition sources (heat, sparks or flames)	
C. Incompatible materials		
	Flammable material, acids, oxidizing agents, alkalis	

**SECTION 11****Toxicological information****A. Information of Health Hazardous****\* Acute toxicity****- Oral****ATEmix >2000 (mg/kg) → Not classified**

Copper	LD50 >2500mg/kg rat(male)(OECD Guideline 423)(read-across: Copper oxide)(ECHA)
Nickel	LD50 >9000 mg/kg bw rat(OECD Guideline 401)(ECHA)
Cobalt	LD50 ca. 550 mg/kg rat(female)(OECD Guideline 425)(ECHA)

**- Dermal****ATEmix >2000 (mg/kg) → Not classified**

Copper	LD50 >2000mg/kg rat(OECD Guideline 402)(read-across: Copper oxide)(ECHA)
Nickel	Not available(No Data)
Cobalt	LD50 >2000 mg/kg rat(read-across: Cobalt(II) 4-oxopent-2-en-2-olate CAS No. 14024-48-7)(ECHA)

**- Inhalation****Dust/mist ATEmix >1 (mg/L) → Category 4**

Copper	Dust/mist LC50 >5.11mg/L 4hr rat (OECD Guideline 436)(Coated copper flakes)(ECHA)
Nickel	NOAEC >10.2mg/L 1hr rat(ECHA)
Cobalt	Dust/mist LC50 < 0.05mg/L 4hr rat (OECD Guideline 436)(ECHA)

**\* Skin corrosion/ irritation****Not classified**

Copper	No irritation observed (Species: rabbit) (OECD Guideline 404) (read-across: Copper oxide) (ECHA)
Nickel	Not classified as an irritant (Species: rabbit)(OECD Guideline 404)(ECHA)
Cobalt	Not classified as an irritant (EU Method B.46)(ECHA)

**\* Serious eye damage/ irritation****Not classified**

Copper	No irritation observed (Species: rabbit) (OECD Guideline 405) (read-across: Copper oxide) (ECHA)
Nickel	Not classified as an irritant (species: rabbit) (OECD Guideline 405) (ECHA)
Cobalt	Cobalt powder is considered to be an eye irritant.(OECD Guideline 437, EU method B.47) (ECHA)

**\* Respiratory sensitization**

Not available(No Data)

**\* Skin sensitization****Not classified**

Copper	Not sensitizing (species: guinea pig) (OECD Guideline 406) (analog: Copper oxide) (ECHA)
Nickel	Not available(No Data)
Cobalt	Not available(No Data)

**\* Carcinogenicity****Category 1A****- OCCUPATIONAL SAFETY AND HEALTH** Nickel: (SMM; Special Management Materials)

ACT

**- Notification of Ministry of Employment** Nickel: 1A

and Labor

Cobalt: 2

**- IARC**

Nickel: 2B

Cobalt: 2B

**- OSHA**

Not classified

**- ACGIH**

Nickel: A5

Cobalt: A3

**- NTP**

Nickel: R

**- EU CLP**

Not classified

**\* Mutagenicity****Category 2**

Copper	in vitro- gene mutation study in bacteria results : NEGATIVE(Species: S. typhimurium TA 1535, TA 1537, TA 98 and TA 100 and S. typhimurium TA 1538)(OECDGuideline 471)(ECHA)(read-across: Copper sulphate pentahydrate CAS No. 7758-99-8)(ECHA) in vivo- mammalian somatic cell study: cytogenicity / erythrocyte micronucleus results NEGATIVE(Species: mouse)(EU Method B.12)(read-across: Copper sulphate pentahydrate CAS No. 7758-99-8)(ECHA)
Nickel	in vitro- gene mutation study in mammalian cells results : NEGATIVE(Species : Chinese hamster lung fibroblasts)(OECD Guideline 476)(ECHA) in vitro-cytogenicity / micronucleus study results : NEGATIVE(Species : Chinese hamster lung fibroblasts)(OECD Guideline 487)(ECHA)
Cobalt	in vitro- gene mutation study in bacteria : POSITIVE cobalt showed and increased revertant rate in S. typhimurium strain TA98 in the absence of S9 metabolic activation, but not in the presence of S9 metabolic activation. The responses observed were weak and not well

	correlated with dose level, hence are of questionable biological relevance(Species: S. typhimurium TA 98)
* Reproductive toxicity	<b>Category 1B</b>
Copper	As a result of the second generation reproductive toxicity test, no reproductive toxicity was observed at any concentration (species: rat) (OECD Guideline 416) (read-across: Copper sulphate pentahydrate CAS No. 7758-99-8) (ECHA) As a result of the developmental toxicity test, the mean fetal weight was slightly lower and the incidence of skeletal mutation was slightly increased, but was not related to teratogenesis, preimplantation loss, or fetal death 6 mg/kg (Species: rabbit) (OECD Guideline 414) (read-across: copper ( 1+) hydroxide CAS No. 1344-69-0) (ECHA)
Nickel	Embryotoxic / teratogenic effects:no effects (ECHA)
Cobalt	Effects on the reproduction / Effects on the development of the conceptus and the F1-offspring (pups): An increased F1-offspring mortality rate and a slightly decreased viability index were noted from 100 mg cobalt powder/kg bw/day onwards (species: rat) (OECD Guideline 422)(ECHA)
* Specific target organ toxicity (single exposure)	<b>Not classified</b>
Copper	As a result of the dermal acute toxicity test, no clinical signs indicative of harmful or serious toxicity were observed, no deaths were found (read-across: Copper sulphate pentahydrate) (ECHA)
Nickel	Not available(No Data)
Cobalt	Not available(No Data)
* Specific target organ toxicity (repeat exposure)	<b>Not classified</b>
Copper	Oral (subchronic)- LOAELs for liver damage were 1000 ppm (cancer) and 2000 ppm (male), and results for kidney damage were considered toxicologically insignificant due to their species-specific tendencies (species: rat). (EU Method B.26) (read-across: Copper sulphate pentahydrate CAS No. 7758-99-8) (ECHA) Inhalation (subacute)- Not classified as no serious effects were observed as a result of the test (Species: rat) (OECD Guideline 412) (read-across: Copper oxide) (ECHA)
Nickel	Oral- LOAELs were 2.2 mg/kg bw/day and 6.7 mg/kg bw/day (species: rat)(ECHA) Inhalation- Causes damage to organs through prolonged or repeated exposure
Cobalt	Oral- NOAEL 3 mg/kg bw/day (species: rat)(OECD Guideline 408)(read-across: Cobalt dichloride CAS No. 7646-79-9)(ECHA)
* Aspiration Hazard	Not available(No Data)

## SECTION 12

## Ecological information

### A. Ecological toxicity

#### \* Fish

Copper	LC50 38.4~256.2µg/L 96hr Pimephales promelas (read-across: copper sulfate CAS No. 7758-98-7)(ECHA)
Nickel	LC50 > 15.3 mg/L 96hr Oncorhynchus mykiss (read-across: nickel dichloride CAS No. 7718-54-9)(ECHA)
Cobalt	NOEC 2 mg/L 96hr Danio rerio (ECHA)

#### \* Crustacean

Copper	EC50 31.8µg/L 48hr Ceriodaphnia dubia(ECHA)
Nickel	LC50 > 13 mg/L 48hr Ceriodaphnia dubia (read-across: nickel dichloride CAS No. 7718-54-9)(ECHA)
Cobalt	EC50 > 100 mg/L 48hr (Daphnia magna)(OECD Guideline 202, EU Method C.2)(ECHA)

#### \* Algae

Copper	EC50 32~245µg/L 72hr Pseudokirchneriella subcapitata (read-across: Copper sulphate pentahydrate CAS No. 7758-99-8)(ECHA)
Nickel	EC50 81.5~148µg/L 72hr Pseudokirchneriella subcapitata (read-across: Nickel chloride CAS No. 7718-54-9)(ECHA)
Cobalt	EC50 20, 270 µg/L 70hr Pseudokirchneriella subcapitata(OECD Guideline 201, EU Method C.3) (ECHA)

### B. Persistence and degradability

#### \* Persistence

Not available(No Data)

#### \* Degradability

Not available(No Data)

C. Bioaccumulative potential

- \* Bioaccumulation Not available(No Data)
- \* Biodegradation Not available(No Data)

D. Mobility in soil Not available(No Data)

E. Other hazardous effect

Copper	Fish: NOEC 57.8, 109µg/L 96hr 32day Cyprinodon variegatus (OECD Guideline 210) (read-across: Copper (II) chloride dihydrate CAS No. 10125-13-0)(ECHA) Crustacean: NOEC 21.5~181µg/L 21day Daphnia magna (OECD Guideline 211) (read-across: Copper sulphate CAS No. 7758-98-7)(ECHA) Algae: NOEC 37.6~170.8µg/L 72hr Pseudokirchneriella subcapitata (read-across: copper chloride)(OECD Guideline 201)(ECHA)
--------	---

**SECTION 13 Disposal considerations**

- A. Disposal method Waste must be disposed of in accordance with federal, state and local environmental control regulations.
- B. Disposal precaution Dispose of contents/container in accordance with relevant regulation. Refer to manufacturer or supplier for information on recovery or recycling.

**SECTION 14 Transport information**

- A. UN Number Not regulated
- B. UN Proper shipping name Not regulated
- C. Transport Hazard class Not regulated
- D. Packing group Not regulated
- E. Environmental hazards Not regulated
- F. Special precautions Not regulated
  - \* in case of fire
  - \* in case of leakage

**SECTION 15 Regulatory information**

- A. Korea Regulatory information
  - Regulations under the Occupational Safety and Health Act
    - Hazardous substances subject to management (Mixtures containing 1% or more of hazardous substances subject to management)
    - Substances subject to work environment monitoring (Mixtures containing 1% or more of substances subject to work environment monitoring)
    - Hazardous factors subject to special health examinations (Mixtures containing 1% or more of hazardous factors subject to special health examinations)
    - Substances with established exposure limits (Copper, Nickel, Cobalt)
    - Substances with established permissible exposure limits (Nickel, Cobalt)
  - Regulations under the Chemicals Control Act
    - Chronic human health hazard substances (Mixtures containing 0.3% or more of cobalt)
    - Acute human health hazard substances (Mixtures containing 1% or more of cobalt)
    - Ecotoxic substances (Mixtures containing 2.5% or more of cobalt)
  - Regulations under the Act on Registration and Evaluation of Chemicals Not applicable
  - Regulations under the Dangerous Substances Safety Management Act Not applicable
  - Regulations under the Waste Control Act Industrial waste
- B. U.S.A Regulatory information & Other regulations

* U.S.A Regulatory information	
- U.S.A management information (CERCLA Regulation)	Copper(2270 kg (5000 lb)) Nickel(45.3599 kg (100 lb))
- U.S.A management information (EPCRA 302 Regulation)	Not regulated
- U.S.A management information (EPCRA 304 Regulation)	Not regulated
- U.S.A management information (EPCRA 313 Regulation)	Copper(regulated) Nickel(regulated)
* Other regulations	
- Substance of Rotterdam Convention	Not regulated
- Substance of Stockholm Convention	Not regulated
- Substance of Montreal Protocol	Not regulated
- Harmonised classification	Copper(Aquatic Chronic 2(H411))
- Annex VI of Regulation (EC) No 1272/2008 (CLP Regulation)	Nickel(Carc. 2 STOT RE 1 Skin Sens. 1) Cobalt(Resp. Sens. 1, Muta. 2, Carc. 1B Skin Sens. 1, Aquatic Chronic 4, Repr. 1B)

SECTION 16	Other information
A. Information source and references	CAMEO Chemicals (steam pressure) ECHA (Generative toxicity, crustaceans, epigrams, percutaneous, other harmful effects, melting points/fish points, reproductive cell mutation, severe eye damage or irritation, fish, spontaneous combustion temperature, algae, specific target organ toxicity (repetitive exposure), dermatologic toxicity, skin corrosion or irritation, inhalation) ECHA Registered substances(Weight, characteristics) EPISUITE(Partition coefficient n-octanol / water (kow)) HSDB(Odor, color, initial boiling point and boiling point range)) ICSC(solubility) pubchem(molecular weight) Self test analysis data (Ulsan site Quality Assurance Team) NCIS( <a href="https://ncis.nier.go.kr">https://ncis.nier.go.kr</a> )
B. Issuing date	March 25, 2022
C. Revision number and date	
* revision number	Ver. 4
* date of the latest revision	May 29, 2026
D. Others	This Material Safety Data Sheet (SDS) is prepared according to the GHS (Globally Harmonized System of Classification and Labeling of Chemicals) standards of Korea. This data does not guarantee product quality, but describes safety, health and environmental issues for handling under normal conditions. If the properties of the product are changed due to heating or processing according to the usage method, please check the additional safety and health information before use. In addition, this information may be revised without prior notice, and materials can be provided through our website ( <a href="http://www.poongsan.co.kr">www.poongsan.co.kr</a> ). For other details, please contact our Safety Environment Team or Quality Assurance Team.